

Safety data sheet

according to 1907/2006/EC, Article 31


Printing date 08.10.2018

Revision: 08.10.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** AUFVYDjh@a Y
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Application of the substance / the mixture**
Marble-swamp-lime, base for lime paints and lime fillers.
- **Uses advised against** All other uses are not recommended.
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Kreidezeit Naturfarben GmbH
Kassemühle 3, D - 31195 Lamspringe
Tel. +49 (0)5060 6080 650
Fax +49 (0)5060 6080 680
www.kreidezeit.de / info@kreidezeit.de
- **Further information obtainable from:**
Product safety department
Telefon: +49(0)5060 6080 650
E-Mail: info@kreidezeit.de
- **1.4 Emergency telephone number:**
Kreidezeit Naturfarben GmbH
Emergency number: +49(0)5060 6080 650 (only during opening times)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Skin Irrit. 2 H315 Causes skin irritation.
Eye Dam. 1 H318 Causes serious eye damage.
STOT SE 3 H335 May cause respiratory irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**

 GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**
calcium dihydroxide
- **Hazard statements**
H315 Causes skin irritation.
H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 08.06.2011

Revision: 08.06.2011

Trade name: AUFVYDJH@a Y

(Contd. of page 1)

H335 May cause respiratory irritation.

- **Precautionary statements**

P102 Keep out of reach of children.

P261 Avoid breathing spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/attention.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P362 Take off contaminated clothing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

- **2.3 Other hazards** Alkaline product. Avoid contact with skin and eyes.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**

- **Description:** Calcium dihydroxide swamped in water

- **Dangerous components:**

CAS: 1305-62-0	calcium dihydroxide	25-50%
EINECS: 215-137-3	☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE	
Reg.nr.: 01-2119475151-45-XXXX	3, H335	

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:**

When seeing the doctor we suggest to present this safety data sheet.

Immediately remove any clothing soiled by the product.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Do not use solvents or thinners.

If skin irritation continues, consult a doctor.

- **After eye contact:**

Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:**

Rinse mouth and throat well with water.

Do not induce vomiting; call for medical help immediately.

- **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: 01/03/2011

Revision: 01/03/2011

Trade name: AUFVYDJA Y

(Contd. of page 2)

- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
Product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.
- **5.2 Special hazards arising from the substance or mixture**
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:**
Wear self-contained respiratory protective device.
No special measures required.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.
In case of fire do not breathe smoke, fumes and vapours.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Respect the protection rules (see section 7 a. 8).
Ensure adequate ventilation
Avoid contact with skin and eyes.
Particular danger of slipping on leaked/spilled product.
- **6.2 Environmental precautions:**
Do not allow product to reach soil, sewage system or any water course.
Follow local governmental rules and regulations.
Dilute with plenty of water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Danger of slipping!
Dispose of the material collected according to regulations.
Clear contaminated areas thoroughly.
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Keep receptacles tightly sealed.
Avoid contact with skin and eyes.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: 01.03.2017

Revision: 01.03.2017

Trade name: AUFYDIN®

(Contd. of page 3)

Ensure good ventilation/exhaustion at the workplace.
See item 8 for information about suitable protective equipment and technical precautions. Respect the protection rules.

Information about fire - and explosion protection:

The product is not flammable.
No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.
Keep in the original containers in a cool and dry place.
Unsuitable material for receptacles and pipes:

Aluminium
Zinc

Information about storage in one common storage facility: Do not store together with acids.

Further information about storage conditions:

Keep container tightly sealed.
Store in a cool place.
Protect from frost.
Protect from heat and direct sunlight.

Storage class: 12

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

1305-62-0 calcium dihydroxide

AGW (Germany)	Long-term value: 1E mg/m ³ 2(I);Y, EU, DFG
---------------	--

DNELs

1305-62-0 calcium dihydroxide

Inhalative	Acute - local effects, worker	4 mg/m ³ (worker)
	Acute - local effects, consumer	4 mg/m ³ (consumer)
	Long-term - local effects, worker	1 mg/m ³ (worker)
	Long-term - local effects, consumer	1 (consumer)

PNECs

1305-62-0 calcium dihydroxide

Aquatic compartment - freshwater	0.49 mg/l (freshwater)
Aquatic compartment - marine water	0.32 mg/l (marine water)
Terrestrial compartment - soil	1080 mg/kg dw (soil)
Sewage treatment plant	3 mg/l (sewage sludge)

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: € FCFI

Revision: € FCFI

Trade name: AUFVYDh@a Y

(Contd. of page 4)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Avoid contact with the eyes and skin.
Wash hands before breaks and at the end of work.
Immediately remove all soiled and contaminated clothing
Ensure that washing facilities are available at the work place.
- **Respiratory protection:**
Use suitable respiratory protective device only when aerosol or mist is formed.
Filter: FFP2
- **Protection of hands:**
Protective gloves
Alkaline resistant gloves
- **Material of gloves**
suitable material e.g.:
Nitrile impregnated cotton-gloves
Butyl rubber, BR
Recommended thickness of the material: ≥ 0.5 mm
PVC or PE gloves
Recommended thickness of the material: ≥ 0.5 mm
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
Value for the permeation: Level ≥ 6 (480 min)
The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles
- **Body protection:**
Protective work clothing
After contact with skin wash thoroughly with water and apply lotion.
- **Limitation and supervision of exposure into the environment** See Section 12 and 6.2

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Pasty
Colour:	White
Odour:	Weak, characteristic

(Contd. on page 6)

DEN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: € FCFI

Revision: € FCFI

Trade name: AUFYDh@ Y

(Contd. of page 5)

· Odour threshold:	Not determined.
· pH-value:	Alkaline
· Change in condition Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	100 °C
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	Not determined.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits: Lower:	Not applicable.
Upper:	Not applicable.
· Oxidising properties	Not applicable.
· Vapour pressure:	Not determined.
· Density at 20 °C:	1.28* g/cm ³
· Relative density	Not determined.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with water at 20 °C:	< 2 g/l (Ca(OH) ₂) miscible
· Partition coefficient: n-octanol/water:	Not applicable.
· Viscosity: Dynamic:	Not determined.
Kinematic:	Not determined.
· 9.2 Other information	* The values are for freshly produced material and may change with the time.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

Reacts in the setting phase with carbon dioxide (CO₂) from the air:
Ca(OH)₂ + CO₂ -->CaCO₃ + H₂O.

· **10.2 Chemical stability** Stable under normal conditions of storage and use.

· **Thermal decomposition / conditions to be avoided:**

Stable at environment temperature.

No decomposition if used and stored according to specifications.

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: € FCFI

Revision: € FCFI

Trade name: AUFVYDjha Y

(Contd. of page 6)

- **10.3 Possibility of hazardous reactions**
Reacts with light alloys in the presence of moisture to form hydrogen.
Reacts with strong acids and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Acids
aluminium
- **10.6 Hazardous decomposition products:**
No hazardous decomposition products if stored and handled as prescribed.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity** Based on available data, the classification criteria are not met.
 - **LD/LC50 values relevant for classification:**
- | 1305-62-0 calcium dihydroxide | | |
|--------------------------------------|------|----------------------------------|
| Oral | LD50 | >2000 mg/kg (rat) (OECD 425) |
| Dermal | LD50 | > 2500 mg/kg (rabbit) (OECD 402) |
- **Primary irritant effect:**
 - **Skin corrosion/irritation**
Causes skin irritation.
 - **Serious eye damage/irritation**
Causes serious eye damage.
 - **during inhalation:** Irritant effect possible.
 - **during swallowing:** Irritant effect possible
 - **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
 - **Other information (about experimental toxicology):**
Experimental analysis are not available.
The product was not tested. The statements on toxicology have been derived from the properties of the individual components.
 - **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)** not applicable
 - **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
 - **Carcinogenicity** Based on available data, the classification criteria are not met.
 - **Reproductive toxicity** Based on available data, the classification criteria are not met.
 - **STOT-single exposure**
May cause respiratory irritation.
 - **STOT-repeated exposure** Based on available data, the classification criteria are not met.
 - **Aspiration hazard** Based on available data, the classification criteria are not met.

DEN

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date € FCFI

Revision: € FCFI

Trade name: AUFYDJa Y

(Contd. of page 7)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

1305-62-0 calcium dihydroxide

NOEC	72h; 48 mg/l (freshwater alga)
	14d; 32 mg/l (invertebrate marine organisms)
EC10/LC10 oder NOEC	2000 mg/kg (Soil macro-organisms)
	12000 mg/kg (soil microorganisms)
NOEC	21d; 1080 mg/kg (plants)
EC 50/48h	49.1 mg/l (freshwater invertebrate organisms)
EC 50/72 h	184.57 mg/l (freshwater alga)
LC 50/96 h	457 mg/l (marine fish)
	50.6 mg/l (freshwater fish)
	158 mg/l (invertebrate marine organisms)

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** Does not accumulate in organisms

· **12.4 Mobility in soil** No further relevant information available.

· Additional ecological information:

· AOX-indication:

Due to the substance of content which do not include organic jointed halogens, the product can not take influence on the AOX-load of the waste water.

· **According to the formulation contains the following heavy metals and compounds from the EU guideline NO. 2006/11/EC:**

According to our current data base the product does not consist of any heavy metals or substances of EU-directives 76/464/EWG.

· General notes:

At present there are no ecotoxicological assessments.

The product does only consist of anorganic substances; the definition of ecological data like biological degradability, COD and BOD is not expedient.

Do not allow product to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

· 12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Disposal must be made according to official regulations.

Must not be disposed with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: € FCFI

Revision: € FCFI

Trade name: AUFVYDji@a Y

(Contd. of page 8)

· European waste catalogue	
10 13 99	wastes not otherwise specified

· Uncleaned packaging:**· Recommendation:**

Disposal must be made according to official regulations.
Only empty containers may be recycled.

· Recommended cleansing agents: Water, if necessary with cleansing agents.

SECTION 14: Transport information

· 14.1 UN-Number**· ADR, IMDG**

Void

· IATA

UN3266

· 14.2 UN proper shipping name**· ADR, IMDG**

Void

· IATACORROSIVE LIQUID, BASIC, INORGANIC,
N.O.S. (CALCIUM DIHYDROXIDE solution)**· 14.3 Transport hazard class(es)****· ADR, IMDG****· Class**

Void

· IATA**· Class**

8 Corrosive substances.

· Label

8

· 14.4 Packing group**· ADR, IMDG**

Void

· IATA

III

· 14.5 Environmental hazards:**· Marine pollutant:**

No

· 14.6 Special precautions for user

Not applicable.

· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

(Contd. on page 10)

DEN

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date: € FCFI

Revision: € FCFI

Trade name: AUFVYDJh@a Y

(Contd. of page 9)

· Transport/Additional information:	
· ADR	
· Remarks:	Not classified as dangerous good according to ADR/RID-GGVS/E.
· IMDG	
· Remarks:	Not classified as dangerous good according to IMDG/GGVSee.
· UN "Model Regulation":	
Void	

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
For information on labelling please refer to section 2 of this document.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **Other regulations, limitations and prohibitive regulations**
- **Please note:**
TRGS 200 (Germany)
TRGS 500 (Germany)
TRGS 510 (Germany)
TRGS 900 (Germany)
- **Substances of very high concern (SVHC) according to REACH, Article 57** not applicable
- **Product-Code/Giscode:** BSW60
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

- H315 Causes skin irritation.

- H318 Causes serious eye damage.

- H335 May cause respiratory irritation.

- **Department issuing SDS:** KEIMFARBEN Germany, Product safety department

- **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 11)

DEN

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date: ~~€ FCFI~~

Version number 12

Revision: ~~€ FCFI~~

Trade name: AUFVYDh@a Y

(Contd. of page 10)

IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)
VOC: Volatile Organic Compounds (USA, EU)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
AGW: Arbeitsplatzgrenzwert (Germany)
EC10: Effective concentration at 10% mortality rate.
EC50: Half maximal effective concentration.
LC10: Lethal concentration at 10% mortality rate.
NOEC: No observed effect concentration.
REACH: Registration, Evaluation and Authorisation of Chemicals (Regulation (EC) No.1907/2006)
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

*** Data compared to the previous version altered.**

DEN